An Roinn Talmhaíochta, Bia agus Mara Department of Agriculture, Food and the Marine



# Trader Notice No. 05/2020

10 December 2020

Re: High Pathogenic Avian Influenza

To: Egg Producers

Egg Packing Centres

Free Range Poultry Meat Producers

The Department of Agriculture, Food and the Marine have introduced regulations under the Animal Health and Welfare Act 2013 requiring flock keepers to apply stringent bio-security measures for poultry and other captive birds as a precautionary measure against Avian Influenza, as well as a ban on the assembly of birds.

A copy of these Regulations SI No. 566 of 2020 Avian Influenza (Biosecurity measures) Regulations 2020 and SI No. 567 of 2020 Avian Influenza (Restriction on Assembly of Live Birds) Regulations 2020 are attached for your information.

A copy of the Avian Influenza (Biosecurity measures) Regulations 2020 Guidance Document Is also attached for your information.

- DAFM advice has always been to exercise stringent biosecurity measures on all poultry holdings. The introduction of these Regulations means it is now a legal requirement for all bird keepers to follow certain biosecurity protocols;
- There are additional requirements for keepers with more than 500 birds;
- Sick and dead wild birds could be carriers of Avian Influenza. Poultry and captive birds must not be in contact with wild bird carcasses. If you find a dead wild bird, remove your poultry from the area and contact your Department of Agriculture (DAFM) Regional Veterinary Office who will arrange to collect the bird and submit it for testing, where appropriate. Alternatively, you can contact the Avian Influenza Hotline 076 106 4403 or 1850 200 456 (outside office hours).

If you require any further information, please email Feedenquiries@agriculture.gov.ie

Feedingstuffs, Fertilisers, Grain and Poultry Division,
Department of Agriculture, Food and the Marine,
Backweston Campus,
Celbridge,
Co. Kildare
Feedenguiries@agriculture.gov.ie



### STATUTORY INSTRUMENTS.

S.I. No. 566 of 2020

AVIAN INFLUENZA (BIOSECURITY MEASURES) REGULATIONS 2020

#### S.I. No. 566 of 2020

#### AVIAN INFLUENZA (BIOSECURITY MEASURES) REGULATIONS 2020

- I. CHARLIE MCCONALOGUE, Minister for Agriculture. Food and the Marine, in exercise of the powers conferred on me by section 36 of the Animal Health and Welfare Act 2013 (No. 15 of 2013), hereby make the following regulations:
- 1. These Regulations may be cited as the Avian Influenza (Biosecurity measures) Regulations 2020.

#### 2. In these Regulations:

"poultry" means birds kept in captivity for the production of meat or eggs for consumption, the production of other products, for restocking supplies of game birds or for the purposes of breeding for the production of these categories of birds:

"other captive bird" means a bird other than poultry that is kept in captivity.

- 3. (1) A person who has poultry or other captive birds in his or her possession or under his or her control shall comply with the biosecurity measures-
  - (a) set out in Schedule 1, and
  - (b) in the case of a person who has 500 or more poultry or other captive birds in his or her possession or under his or her control, the biosecurity measures set out in Schedule 2.
- 4. Regulation 3 is a penal provision to which section 36 (4) (*b*) of the Animal Health and Welfare Act 2013 applies.

#### Schedule 1

Regulation 3 (a)

#### Biosecurity measures

- All necessary measures to reduce the movement of people, vehicles or equipment to and from areas where poultry or other captive birds are kept.
- 2. All necessary measures to minimise the risk that poultry or other captive birds will become affected with avian influenza through exposure to manure, slurry or other products.

- 3. Effective vermin control, including preventing the entry of wild and domestic animals to land or premises where poultry or other captive birds are kept.
- 4. Feed and bedding must be stored in such a manner that other animals. including wild birds, do not have access.
- 5. A person who has contact with poultry or other captive birds must take all reasonable measures to avoid the transfer of avian influenza virus to or from land or premises where poultry or other captive birds are kept, including cleansing and disinfection of equipment, vehicles and footwear that has been in contact with poultry or other captive birds.
- 6. Provide at all entry and exit points of land or premises where poultry or other captive birds are kept, disinfection points containing sufficient amount of a disinfectant that is effective against avian influenza virus used in accordance with the manufacturer's guidelines.
- 7. All necessary measures must be taken to prevent access by wild birds to land or premises where poultry or other captive birds are kept.
- 8. Provide feed and water to poultry or other captive birds in such a way that is not accessible to wild birds.
- 9. Take all necessary measures to prevent overgrowth of vegetation or accumulation of uncovered water on the land or premises.
- 10. Remove any thing that might attract wild birds from the premises such as fallen fruit or uneaten feed.
- 11. Inspect the fabric and structural integrity of any building used to house poultry or other captive birds for holes and leaks, with particular emphasis on roofs, gutters and downpipes. Any holes and leaks must be repaired immediately to prevent water ingress.
- 12. Take all necessary measures to thoroughly clean and disinfect housing and equipment at the end of each production cycle, using a disinfectant that is effective against avian influenza viruses in accordance with the manufacturer's guidelines.
- 13. Keep records of all persons and vehicles that enter land or premises where poultry or other captive birds are kept.
- 14. Keep records of movement of poultry, other captive bird and eggs onto or off land or premises. Records must include:-
  - (a) the quantity and description (including species of bird or type of egg),
  - (b) the date of each movement,
  - (c) the land or premises of destination, and
  - (d) the name and address of the person to whom consigned.
- 15. All outdoor areas where poultry and other captive birds have access to must be fenced to confine the birds and must be managed to ensure:-

- (a) that the area is not contaminated with feathers or faecal material from wild birds and all reasonable steps are taken to remove such contamination that is present.
- (b) access to open or permanent standing water is restricted by fencing off and netting ponds, standing water or waterlogged land to prevent access by poultry or other captive birds.
- (c) there is no direct contact with other poultry or other captive birds.
- (d) that ducks and geese are kept separately from other poultry species.
- (e) that feed and water are kept indoors.
- (f) poultry and other captive birds are fed indoors or under a covered area in a manner that prevents contact by wild birds with the feed and water.
- (g) that measures are in place to ensure that wild birds are not attracted to areas in the vicinity of land or premises where poultry or other captive birds are located, in particular to watercourses, reservoirs, ponds or other standing water.
- (h) that proactive measures are taken to discourage wild birds from entering the land or premises. For example streamers, bird scarers or foils,
- (i) that the carcases of wild birds are removed immediately, and
- (j) that regular cleansing and disinfection is carried out on all concrete walkways, paths and similar surfaces to which poultry and other captive birds or wild birds have access.

#### Schedule 2:

Regulation 3 (b)

Additional biosecurity measures for land or premises with over 500 poultry or other captive birds.

- Land or premises where poultry or other captive birds are kept shall be divided into 3 parts:-
  - (a) one part in which live birds are kept,
  - (b) a part where ancillary activities, such as storage of feed, water and equipment are carried out, and
  - (c) a restricted access part with a bio-secure barrier.
- 2. The measures that apply in a part of land or premises to which paragraph 1 (a) refers are:-
  - (a) access is restricted to essential personnel only.
  - (b) all persons must exercise effective barrier hygiene, including changing clothing and footwear before entering and on exit,

- (c) the exterior of any vehicles, in particular wheels and wheel arches, and any equipment which enters or exits must be cleansed and disinfected on entry and exit, and
- (d) records must be maintained of vehicles and persons who enter or exit.
- 3. The measures that apply in a part of land or premises to which paragraph 1 (b) refers are:-
  - (a) access must be limited to essential personnel only with full biosecurity measures adopted on entry and exit.
  - (b) this part must be fully separated with clear demarcation from the part to which paragraph 1 (a) refers.
  - (c) waste and carcases must be held in appropriately biosecure facilities in this part with clear separation from the other parts of the land or premises.
  - (d) the exterior of any vehicles, in particular wheels and wheel arches, and any equipment which enters or exits must be cleansed and disinfected on entry and exit, and
  - (e) egg producers must ensure the packing, handling and storage of second quality eggs is managed in a biosecure manner. Egg trays must be cleansed and disinfected before use.
- 3. The measures that apply in a part of land or premises to which paragraph 1 (c) refers are:-
  - (a) access must be limited to essential persons only with full biosecurity measures adopted on entry and exit, and
  - (b) non-essential vehicles must not enter the bio-secure barrier part



GIVEN under my Official Seal, 1 December, 2020.

CHARLIE MCCONALOGUE,
Minister for Agriculture, Food and the Marine.

## EXPLANATORY NOTE

(This note is not part of the instrument and does not purport to be a legal interpretation)

These regulations provide for the biosecurity measures for poultry and other captive birds as a precautionary measure against risk of avian influenza.

BAILE ÁTHA CLIATH ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR Le ceannach díreach ó FOILSEACHÁIN RIALTAIS, 52 FAICHE STIABHNA. BAILE ÁTHA CLIATH 2, D02 DR67.

> Teil: 076 110 6834 r-post: publications@opw.ie

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased from
GOVERNMENT PUBLICATIONS,
52 ST. STEPHEN'S GREEN, DUBLIN 2,
D02 DR67.

Tel: 076 110 6834 E-mail: publications@opw.ie



€3.00

(NDCC-1) 75. 12/20. Propylon.



### STATUTORY INSTRUMENTS.

S.I. No. 567 of 2020

AVIAN INFLUENZA (RESTRICTION ON ASSEMBLY OF LIVE BIRDS) REGULATIONS 2020

#### S.I. No. 567 of 2020

# AVIAN INFLUENZA (RESTRICTION ON ASSEMBLY OF LIVE BIRDS) REGULATIONS 2020

- I. CHARLIE MCCONALOGUE. Minister for Agriculture. Food and the Marine, in exercise of the powers conferred on me by section 36 of the Animal Health and Welfare Act 2013 (No. 15 of 2013), hereby make the following regulations:
- 1. These Regulations may be cited as the Avian Influenza (Restriction on Assembly of Live Birds) Regulations 2020.
  - 2. A person shall not
    - (a) organise or take part in an event which involves assembling birds,
    - (b) sell or supply a live bird at a fair, market, mart or other gathering, or
    - (c) have a live bird in his or her possession or under his and her control at an event to which paragraph (1) or (2) relates.
- 3. Regulation 2 does not apply to the assembly of pigeons for racing and associated purposes.
- 4. Regulation 2 is a penal provision to which section 36 (4) (*b*) of the Animal Health and Welfare Act 2013 applies.



GIVEN under my Official Seal, 1 December, 2020.

CHARLIE MCCONALOGUE,
Minister for Agriculture, Food and the Marine.

#### EXPLANATORY NOTE

(This note is not part of the instrument and does not purport to be a legal interpretation)

These regulations provide for restrictions on the assembly of live birds as a precautionary measure against risk of avian influenza.

BAILE ÁTHA CLIATH ARNA FHOILSIÚ AG OIFIG AN tSOLÁTHAIR Le ceannach díreach ó FOILSEACHÁIN RIALTAIS. 52 FAICHE STIABHNA, BAILE ÁTHA CLIATH 2. D02 DR67.

> Teil: 076 110 6834 r-post: publications@opw.ie

DUBLIN
PUBLISHED BY THE STATIONERY OFFICE
To be purchased from
GOVERNMENT PUBLICATIONS,
52 ST. STEPHEN'S GREEN, DUBLIN 2,
D02 DR67.

Tel: 076 110 6834 E-mail: publications@opw.ie



€1.50

(NDCC-2) 75. 12/20. Propylon.

# Avian Influenza (Biosecurity measures) Regulations 2020 Guidance Document for Schedule 1

#### Why has this Regulation been adopted?

Avian influenza subtype H5N8 (HPAI H5N8) or 'bird flu' has been confirmed in a number of wild birds in Ireland. This regulation lays out the most appropriate biosecurity advice which should be followed in order to reduce the risk of an outbreak in Irish poultry flocks.

#### Where do these rules apply?

For the purposes of this regulation, 'poultry' means birds which are kept for meat or egg production, game birds used as re-stocking supplies and any birds kept in order to breed these categories of birds.

'Other captive birds' are any other birds than poultry which are kept in captivity.



#### Wild Birds

One of the most important biosecurity measures is to prevent contact between wild birds and poultry or captive birds. Poultry can become infected with avian influenza (bird flu) by being in close contact with a wild bird or from contact with an infected bird's droppings or feathers. This is the reason we must not only prevent wild bird access to poultry and captive birds themselves but also to their environment.

- Outdoor areas where poultry and captive birds have access to must be fenced or surrounded by netting. This will prevent contact between wild birds and poultry and prevent outdoor areas becoming contaminated with bird droppings/feathers. If wild birds do gain access to poultry areas any droppings/feathers should be removed.
- Poultry should not have access to open water, standing water or waterlogged areas as this
  will attract wild fowl. Keep these areas well fenced or use netting.
- Avoid attracting wild birds to your holding. Locate all feeding and watering points indoors.
   Feeding birds outside, not clearing up spilled feed and fallen fruit will all entice wild birds as well as rodents.
- Discourage wild birds from your holding with the use of deterrents such as bird scarers, flutter tape, scarecrows etc.
- Sick and dead wild birds could be carriers of avian influenza. Poultry and captive birds must
  not be in contact with wild bird carcasses. If you find a sick or dead wild bird, remove your
  poultry from the area and contact your <u>Regional Veterinary Office</u> who will arrange to collect

the bird and submit it for testing, where appropriate. Alternatively, you can contact the Avian Influenza Hotline 076 106 4403 or 1850 200 456 (outside office hours).

- Sick wild birds must not handled or brought to a premises where poultry or other birds are kept.
- Avoid any contact with wild birds, their carcasses, droppings or feathers where possible.
  Where this is not possible, ensure that you wear gloves. When removing your gloves, turn
  them inside-out as you remove them and dispose of them in your household bin. Wash your
  hands and forearms with hot soapy water. Where water is not immediately available use
  hand sanitiser until hands can be washed. Clean and disinfect your footwear afterwards,
  shower and change your clothes.



#### Environment

- All poultry houses should be bird and rodent-proof, and always keep the doors closed. Wild birds, especially pigeons and waterfowl, are a particular risk for spreading bird diseases.
   Bird-proof netting should have apertures no larger than 25mm.
- Check regularly for any holes or leaking in roofs, guttering and downpipes.
- Diseases can be carried on contaminated vehicles. For this reason, staff and service vehicles
  etc. should be parked outside the perimeter. Only allow essential vehicles onto the site.
  Insist that all vehicles that do need to enter the site have been cleaned and disinfected both
  on entry to and exit from the premises.
- Keep the environment clean and unattractive to wild birds. This includes removal of any spilled feed, fencing/netting any standing water and preventing overgrown vegetation.
- Removing all visible dirt and contamination can remove up to 99% of disease causing agents.
- Regular cleansing and disinfection (C&D) should be carried out on all concrete walkways,
  paths and similar surfaces to which poultry and wild birds could have access. C&D should
  also be carried out when birds are removed from their housing i.e. at the end of a
  production cycle. This is good practice which will reduce the level of disease causing agents
  in your bird/poultry housing and should help keep your birds healthier in general.
- Provide footbaths containing <u>DAFM Approved Disinfectants</u> outside each poultry house.
   Ensure that the disinfectant is used at the manufacturer's recommended dilution rate and change the disinfectant to ensure that it remains clean and free of organic matter at all times as this may reduce its efficacy.
- Poultry should not be exposed to manure or slurry which could contain bird flu viruses.

No other animals including pets are to be permitted into poultry/captive bird housing.



#### Personnel and Equipment

- Keep movements of visitors, vehicles and equipment onto your holding to a minimum. The
  less movements onto your holding, the lower the risk of introducing any disease including
  bird flu.
- Equipment should not be shared between farms as this may lead to spread of disease e.g.
  trolleys, pallets. Ensure that all equipment used on the farm or for the collection of eggs has
  been cleaned thoroughly and disinfected with <u>DAFM Approved Disinfectants</u> made up
  according to the manufacturer's instructions before and after each use.
- Do not re-use plastic egg trays which are not thoroughly cleaned and disinfected.
- Do not re-use disposable egg trays as they cannot be properly disinfected.
- It is not recommended that anyone with poultry or captive birds at home is in contact with poultry at another premises.
- Only allow essential visitors to have access to the poultry site, and provide farm or disposable overalls and footwear for visitors and staff. Provide hand-washing facilities, and insist that these are used by staff and visitors.
- Use designated clothing and footwear for attending and looking after your birds.
- Where there is more than one poultry house on a holding personnel must prevent spreading any disease from one house to another. Footwear, clothing and any equipment should be cleaned and disinfected between poultry houses.
- If you have staff, give them the information and training they need to maintain good standards of hygiene (an important aspect of biosecurity) at all times. If they keep their own birds at home, they will need to be extra vigilant for signs of disease and even more careful about biosecurity both at home and on your farm.

#### Feed & Bedding

Feed and bedding must be stored where animals in particular wild birds cannot gain access.
 This is to prevent animals from contaminating feed and bedding with their droppings which could be a source of disease.

- Feed and water your birds indoors in such a way that is not accessible to wild birds and in such a way that wild birds and vermin will not be attracted to the area. Remember to clean up any spillages of feed.
- Provide clean drinkable water indoors for your birds. Don't allow them to drink from places
  which may have become contaminated with wild bird droppings as this could lead to the
  spread of diseases including bird flu.



#### Records

- Record all visitors and vehicles that enter your holding, or any premises where poultry or
  captive birds are kept. In the event of a confirmed case of bird flu in a holding, this enables
  DAFM to trace where infection may have come from and track where it may have spread to
  (track and trace system). This would be a vital part of containing the outbreak. An easy way
  to do this is by keeping a 'Visitors book' that anyone visiting the farm must sign and date.
  Remember to include vehicle registration numbers as these can also carry viruses should
  they become contaminated with bird droppings etc.
- Record any movements of birds or eggs on and off the holding. You should include the number, species, date of movement, destination of the eggs/birds and the name and address of the person to which they are going. This is to allow tracking and tracing in the event of a bird flu outbreak.



#### Poultry

- Ducks and geese tend not to develop as severe signs of bird flu as poultry such as chickens
  and turkeys (although this is not always the case). Keep ducks and geese apart from other
  poultry as they could be carriers of disease without showing signs.
- Poultry or other captive birds must not be able to mix with birds from another holding.
- It is important to implement best practice by only buying birds from a known reputable source isolate any newly introduced poultry for 2 weeks if possible, and attend to your own birds before the new birds.
- Check your birds regularly for signs of illness. You can find information on signs of bird flu
   <u>here</u>. If you have any suspicion that your birds may be affected by bird flu, you are legally
   obliged to notify DAFM. You may do this by alerting your <u>Regional Veterinary Office</u>.

<sup>\*</sup>Please note that this document is for guidance only and is not a legal text.

# Avian Influenza (Biosecurity measures) Regulations 2020 Guidance Document for Schedule 2

For ALL land/premises with over 500 poultry or other captive birds, <u>both</u> Schedules 1 and 2 apply.

Land & Premises where poultry or other captive birds are kept must be divided into 3 separate parts:

#### 1. Live bird housing/accommodation

- Only essential personnel are allowed access.
- All personnel must change clothing and footwear before entering and on exit.
- All vehicles, in particular wheels and wheel arches, and any equipment must be
  cleaned and disinfected with <u>DAFM Approved Disinfectants</u> both when they leave
  and on their return to the holding.
- · Records must be maintained of all vehicles and people who enter or exit the holding.

#### 2. Ancillary Areas including Storage (feed, water, equipment etc)

- This area must be fully and clearly separated from the live bird housing/accommodation area.
- Only essential personnel are to be granted access following all the usual biosecurity protocols including changing clothing and footwear on both entry and exit.
- Waste and carcasses are to be kept in this area of the premises, where no other animals or vermin can gain access. A suitable lidded (lockable) bin kept outside the perimeter of the holding is ideal so that unnecessary movement of collection vehicles onto the premises is avoided. All vehicles, in particular wheels and wheel arches, and any equipment must be cleaned and disinfected with <a href="DAFM Approved Disinfectants">DAFM Approved Disinfectants</a> both when they leave and on their return to the holding.
- Do not re-use plastic egg trays which are not thoroughly cleaned and disinfected and do not re-use disposable egg trays.
- The packaging, handling and storage of second quality eggs must be managed in a biosecure manner.

#### 3. Restricted access area with a biosecure barrier

- Only essential personnel are to be granted access following all the usual biosecurity protocols including changing clothing and footwear on both entry and exit.
- Non-essential vehicles are not permitted access.

<sup>\*</sup>Please note that this document is for guidance only and is not a legal text.