APPLICATION FOR A LEASE/LICENCE/PERMISSION UNDER THE FORESHORE ACT 1933 (AS AMENDED)*

(This form should <u>NOT</u> be used for Applications for Offshore Electricity Generating Stations)

Please read Guidance Notes above before completing this form

For Office Use			·
Application Ref. No		_	
Date of receipt.			

USE BLOCK CAPITALS IN BLACK INK

1.	A. Name(s) of Applicant(s) in full
	Cork County Council
	B. Address(es) of Applicant(s) in full
	Water Services, Court House, Skibbereen, Co. Cork
Tele	phone (028) 21299 Fax (028) 21995 E-mail: niall.omahony@corkcoco.ie
	C. Signature of Applicant
	Niall O' Mahony
held	ere the signatory is an officer of a local authority or a company, the position should be stated and the signatory's name should also be provided in block tals).
held	should be stated and the signatory's name should also be provided in block
held capi	should be stated and the signatory's name should also be provided in block tals).

* Legislation Applicable
Foreshore Act, 1933 (No. 12); Foreshore (Amendment) Act, 1992 (No.17);
Fisheries and Foreshore (Amendment) Act, 1993 (No. 54)

E. Name and Address of Applicant's Legal Advisors (where an offer is made of a Foreshore Lease/Licence/Permission it will be done through the Applicant's Legal Advisors)

County Solicitor, County Hall, Cork County Council,

Telephone: (021) 4285412

Fax (021) 4342888

E-mail: mary.roche@corkcoco.ie

2. (A) A detailed description of the proposed works which are to be carried out on the foreshore. (Please feel free to use additional sheet which should be signed and dated).

See attached sheet

(B) A Statement of reason for the works

See attached sheet

A statement of the disturbance to the foreshore, arising from these works, should be attached covering the impact on the marine environment including the impact on coastal erosion, navigation, fishing, fisheries (various species known to inhabit the area), pleasure boating and sailing, air navigation (if appropriate).

See attached sheet

- (C) Provide the following location details in respect of the area of foreshore for which the Lease/Licence/Permission is sought
 - (i) Bay: Church Strand Bay (Baltimore Harbour)
 - (ii) County: Cork
 - (iii) Geographic co-ordinates in degrees, minutes and seconds

Outfall E 104623.27, N 26951.58 Overflow E 104606.54, N 26602.44

(iv) OS Map No: 6800 a (1:2500, 2001)

(v) Size (hectares): 0.04

	- **	W. C	A 41	010	C
14	VII	1.0C21	Authority:	Cork County	Council
	,				

3.	RECORD OF DOCUMENTS E	NCLOSED ITH THIS APPLI	CATI	ON
	Ten (10) copies of the following application;	documents are enclosed with t	his	
(i) -	Ordnance Survey Map (Scale of	1:10,560, ie a six inch map)		
(ii) -	British Admiralty Chart (larges	t available scale)		
(iii) -	Decision of planning authority of Planning Acts	of An Bord Pleanála under	N/A	
(iv) -	Copy of licence under Section 4 Water Pollution Act, 1977	of Local Government	N/A	
(v) -	Environmental Impact Stateme	nt	N/A	
(vi) -	Drawings of the structures to be	e used and/or layout		
(vii) -	Copy of any correspondence wi	th DÚCHAS		
(viii)	- Certified copy of Company's M Association	emorandum and Articles of	N/A	
(ix) -	Certificate of Incorporation of a Rule Book/Constitution for a C as appropriate		N/A	
(x) -	Other (specify)N/A			
	It may not be necessary to inclu accompanying "Guidance Notes		please	refer
			44.00	
TALLMED ENGINEER	Details of any previous Leases/Li cant for this or any adjoining site	der Ergeberger freichte Begriffen von eine zur reiner Begriffen der Foreinsteine Kanner in Propiete State.	y the	
	te of Lease/Licence/Permission eference number(s)	Not Applicable Not Applicable		

ownership? Land Registry	any part of the Foreshore (the subject of this application) in private (This search should be carried out in the Registry of Deeds and and copies of results, including where appropriate, folio maps uded). There is none in private ownership.
If yes, please	provide details of ownership. N/A
been consulte No. Adjacent l	t land owners, whose properties may be affected by these works d? Please provide details/permissions as appropriate. and owners and other interested parties will be able to make garding the works when the Part 8 planning application for the works

6. Employment Implications (if any):

Approx. 1 no. part-time operative will be employed to operate and maintain the proposed wastewater treatment works and pumping station.

7. Capital cost of proposed works (€ - Euro)

Wastewater treatment works	1,686,000
Pumping Station	100,000
Pipelines	<u>329,000</u>
Total	2,115,000

8. Do the proposed works involve the draw down of European Union or State funding? Yes

If "Yes" give details, including any time restrictions, etc. applying

The proposed works are to be funded by the state through the Department of Environment, Heritage and Local Government, under The Water and Sewerage Services Investment Programme 2002 - 2004. There shall be a similar programme for 2005 - 2007. The works are to be completed by 31 Dec. 2005

- 9. Do the proposed works provide for public use, restricted use or strictly private use? (give details)

 Not Applicable
- 10. Are there public health/safety implications arising from the proposed works? (e.g. effluent disposal, navigational safety, removal of derelict or dangerous structures etc.)

Yes. Improved water quality in Church Strand Bay will have a beneficial impact on public health. Currently the outfall from the existing septic tank discharges primary treated sewage to the Harbour close to Bull Point.

The proposed works relate to the discharge of treated effluent. This effluent will be treated before discharge so that the health implications should be significantly reduced. This effluent will be fit for bathing water purposes.

11. Will the works involve the storage and/or disposal of waste? Yes

If "Yes" please give details of the type of waste and the proposed method of storage and/or disposal (including location)

The discharge of treated effluent from the proposed wastewater works via the proposed outfall and the intermittent combined overflow of surface water and diluted sewage, as a result of heavy rainfall via the existing outfall.

The works will involve the thickening, storage and transport of waste sludge off site for disposal or further treatment and beneficial reuse in accordance with the County Cork Sludge Management Plan.