
Backweston EIA Screening Assessment

LVIA Photomontages

This book contains imagery for the viewpoints chosen for the LVIA study

August 2023





INDEX

Viewpoint 1 - Existing View + Outline View

Viewpoint 1 - Montage View

Viewpoint 2 - Existing View + Outline View

Viewpoint 2 - Montage View

Viewpoint 3 - Existing View + Outline View

Viewpoint 3 - Montage View

Viewpoint 4 - Existing View + Outline View

Viewpoint 4 - Montage View


Viewpoint 5 - Existing View + Outline View

NB - There is no Montage View for this viewpoint

Viewpoint 6 - Existing View + Outline View

NB - There is no Montage View for this viewpoint

Viewpoint locations selected for the Backweston EIA Screening Assessment







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 700496 Northing (ITM): 734124 Direction of View 111° E of Grid North Angle of View: 80°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40 °.

Easting (ITM): 700496 Northing (ITM): 734124 Direction of View 111° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 700810 Northing (ITM): 734032 Direction of View 121° E of Grid North Angle of View: 80°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

Date: 16/06/2023 Time: 12:47





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40 °.

Easting (ITM): 700810 Northing (ITM): 734032 Direction of View 121° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 701193 Northing (ITM): 734052 Direction of View 122° W of Grid North Angle of View: 80°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40 °.

Easting (ITM): 701193 Northing (ITM): 734052 Direction of View 122° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 701354 Northing (ITM): 733894 Direction of View 84° W of Grid North Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40 °.

Easting (ITM): 701354 Northing (ITM): 733894 Direction of View 84° W of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level







To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): Northing (ITM): Direction of View Angle of View:

700973 733762 5° E of Grid North 80°

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level





To view these panoramas on a flat surface one must move from left to right along its length whilst maintaining a perpendicular viewing direction and the specified correct viewing distance of 30cm. To see this entire panoramic scene in reality would necessitate turning one's head through 40°.

Easting (ITM): 700495 Northing (ITM): 733574 Direction of View 50° E of Grid North 80° Angle of View:

Lens: Camera: Camera Height:

50mm / Full Frame Sensor Canon 1-D Mark II digital SLR 1.7m Above Ground Level

