



Greenore Point



2 SETS OF 6No. TAILS 6m LONG @ 2.5m Crs.
 100mm Dia SMOOTHWALL PVC PIPES WITH PERFORATIONS @ 8mm Dia @ 75mm Crs.
 PERCOLATION TRENCH WIDTH TO BE 500mm MIN.
 SEWAGE TREATMENT PLANT MIN. CAPACITY 3800L 3.8m³



TYPICAL SECTION THROUGH PERCOLATION PIPE [1:20]

St Patrick's Church

10m SCALE 1:500

NOTES

- Verifying Dimensions.
The contractor shall verify dimensions against such other drawings or site conditions as pertain to this part of the work.
- Existing Services.
Any information concerning the location of existing services indicated on this drawing is intended for general guidance only. It shall be the responsibility of the contractor to determine and verify the exact horizontal and vertical alignment of all cables, pipes, etc. (both underground and overhead) before work commences.
- Issue of Drawings.
Hard copies, dwf and pdf will form a controlled issue of the drawing. All other formats (dwg, dxf etc.) are deemed to be an uncontrolled issue and any work carried out based on these files is at the recipient's own risk. RPS will not accept any responsibility for any errors arising from the use of these files, either by human error by the recipient, listing of un-dimensioned measurements, compatibility issues with the recipient's software, and any errors arising when these files are used to aid the recipient's drawing production, or setting out on site.
- DATUM: ORDNANCE DATUM

PLANNING BOUNDARY.
 FH FIRE HYDRANT
 GULLY

MAP SERIES:
 1568-C
 1568-D
 1636-A
 1636

- CONTOURS SHOWN EVERY 0.5m
- SEPTIC TANK MUST CONFORM TO IS EN 12566 PART 1 OR 4 AND EPA CODE OF PRACTICE SECTION 7

TRENCH BACKFILL
 INVERT PIPE TO BE SURROUNDED WITH 300mm OF 8-32mm WASHED GRAVEL. PIPE TO BE LAID AT 1 IN 200 SLOPE.

ALL PERCOLATION PIPES TO BE LAID IN TRENCHES MIN. 500mm WIDE. PIPES TO BE SURROUNDED BY 8-32mm WASHED GRAVEL AS SHOWN IN TYPICAL SECTION THROUGH PERCOLATION PIPE.

rev	amendments	drawn	date
-----	------------	-------	------

RPS Elmwood House 74 Boucher Road Belfast BT12 6RZ
 T +44 (0) 28 90 667914
 F +44 (0) 28 90 668286
 W www.rpsgroup.com/ireland
 E ireland@rpsgroup.com

Client

Carlingford Ferries

Project

Carlingford Ferry

Title

Greenore Proposed Drainage General Arrangement

Architect

-

Drawing Status	Sheet Size	Drawing Scale
Planning	A1	1:500

Drawing Number	Rev
IBM0358-113	-

Project Leader	Drawn By	Date	Initial Review
D.O'L.	SSD	24/05/13	D.O'L.