



© Copyright  
 This drawing and any design here on is the copyright of the Consultants and must not be reproduced without their written consent.  
 All drawings remain the property of the Consultants.

NOTES:  
 1. Figured dimensions only to be taken from this drawing.  
 2. All dimensions to be checked on site.  
 3. All levels are in metres O.D. and are related to Ordnance datum at Main

NOTES  
 1. SEWER LAYING TO BE IN ACCORDANCE WITH THE 'GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS' VERSION 6.0  
 2. REFER TO ARCHITECTS LAYOUT FOR OVERALL SETTING OUT INFORMATION (BUILDINGS, ROADS, BOUNDARIES AND FOOTPATHS)  
 3. ALL PIPES WITH LESS THAN 1.2m COVER (ROAD) AND 0.9m (LANDSCAPED AREAS) SHALL BE ENCASED IN min 150mm CONCRETE SURROUND Cl. 15/20

LEGEND:  
 PROPOSED STORM SEWER ————

ISSUED FOR FORESHORE LICENCE APPLICATION.	SN	05.01.18	G
ISSUED FOR PLANNING LAYOUT & WETLAND AMENDED	SW	14/12/17	F
ISSUED FOR PRE-PLANNING APPLICATION TO A.B.P	SW	08/12/17	E
GENERAL REVISIONS	SW	22/09/17	D
ISSUED FOR PRE-PLANNING	ES	03/08/17	B
INITIAL ISSUE FOR REVIEW	SW	28/07/17	A
Description:	Drawn	Date:	Rev.:

Client:  
**St. Marnock's II DAC and Clear Real Estate Investments plc.**

Project:  
**PORTMARNOCK SOUTH PHASE 1B.**

Clients Representative:  
**J. B. Barry and Partners Limited Consulting Engineers**

Classon House  
 Dundrum Business Park  
 Dundrum Road  
 Dublin 14  
 Tel: +353 1 485 1400  
 email: info@jbbarry.ie  
 web: www.jbbarry.ie

Drawn By:	SW	Date:	JULY 2017
Checked By:	SW	Date:	JULY 2017
Approved By:	JO'B	Date:	JULY 2017
Internal Project Ref:	Y17205	Stage:	FORESHORE LICENCE APPLICATION.

Drawing Title:  
**PROPOSED STORM SEWERS LAYOUT**

Scales:  
 1:1000 @ A1

Drawing No.:  
**Y17205-C-201**

Rev:  
**G**

